ELSEVIER

Wear 214 (1998) 289

WEAR

Author Index of Volume 214

Al-Hassani, S.T.S., 64
Antler, M., 1
Arinez, J., 231
Arnell, R.D., 14
Axén, N., 30

Bahadur, S., 54, 245
Barnick, N.J., 131
Barquins, M., 156
Batchelor, A.W., 83
Belin, M., 212
Blanchet, T.A., 131, 186
Bokiy, Yu.F., 279
Bouissou, S., 156

Casto, S.L., 264
Chen, B., 79
Chen, D., 64
Choi, I.S., 91
Corlett, N., 175

Deuis, R.L., 112
Ding, C.X., 202
Dosbayeva, G.K., 279
Duda, J.L., 207

Endo, H., 221
Erickson, L.C., 30

Fang, X.D., 252
Finlayson, T.R., 287
Fortino, W., 10
Fox-Rabinovich, G.S., 279
Fu, Y., 83
Fukuda, T., 192

Ganeshkumar, S., 10
Gardner, J.E., 131
Gates, J.D., 139
Grover, G.S., 10

Han, J.G., 91
Hasegawa, N., 221
Hawthorne, H.M., 30
Hogmark, S., 30
Hokkirigawa, K., 192
Hosseini, S.M., 271
Huang, J.Q., 202

Jiang, D., 79
Jiang, J., 14

Kaminsky, C., 147
Katagiri, G., 264
Kato, T., 192
Kelly, G.L., 287
Klaus, E.E., 207
Kopalinsky, E.M., 38
Kovalev, A.I., 279

Li, J.F., 202
Li, Z., 79
Lian, Y., 47, 151
Liang, H., 10
Liu, W., 207
Liu, Y., 259
Lovell, M., 165
Lu, J., 107
Lucchini, E., 264
Lughi, V., 264

Marui, E., 221
Meriani, S., 264
Mishina, V.P., 279
Mizuno, H., 221
Mosleh, M., 231
Muraki, N., 264
Murphy, S., 98

Nam, K.H., 91
Nishida, T., 264

Othmani, A., 147
Oxley, P.L.B., 38

Peng, Y.-L., 186
Petit, J.P., 156
Pezzotti, G., 264

Sahin, Y., 98
Sarumi, M., 64
Sawyer, W.G., 131
Seah, W.K.H., 237
Sergo, V., 264
Shen, W., 259
Shinooka, M., 192
Shuster, L.Sh., 279
Singer, I.L., 212
Stack, M.M., 175
Stolarski, T.A., 271
Subramanian, C., 112
Suh, N.P., 231
Sun, F., 79

Teoh, S.H., 237
Thampuran, R., 237
Tieu, A.K., 252
Tobe, S., 271
Tong, J., 14

Wahl, K.J., 212
Wainstein, D.L., 279
Westergård, R., 30
Wiklund, U., 30

Xue, Q., 23, 47, 54, 74, 107, 151

Yellup, J.M., 112
Yu, L., 47, 54, 151, 245

Zhang, B., 259
Zhang, D., 252
Zhang, G., 107
Zhang, P.Y., 202
Zhang, R., 259
Zhang, W., 23, 74
Zhang, X., 74
Zhang, Y.F., 202
Zhou, S., 175

Elsevier Science S.A.

ELSEVIER

Wear 214 (1998) 291–295

WEAR

Subject Index of Volume 214

Abrasion
sliding wear and friction of electroplated and clad connector contact materials: effect of surface roughness, 1
cohesion in plasma-sprayed coatings—a comparison between evaluation methods, 30
Abrasive particle
some factors influencing adiabatic shear banding in impact wear, 259
Abrasive wear
three-body abrasive wear of composite coatings in dry and wet environments, 112
two-body and three-body abrasion: A critical discussion, 139
Additive
the tribological behaviors of some rare earth complexes as lubricating additives. Part 2—The antiwear and extreme pressure properties in lithium grease, 151
Adhering layer
FE analysis of cutting tool temperature field with adhering layer formation, 252
Adhesion
fretting wear characteristics of Ni/Cu multilayers electrodeposited on beryllium bronze substrate, 23
Adiabatic shear band
some factors influencing adiabatic shear banding in impact wear, 259
Alloying
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279
Aluminium
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
Aluminium composite
three-body abrasive wear of composite coatings in dry and wet environments, 112
Antiwear and extreme pressure properties
the tribological behaviors of some rare earth complexes as lubricating additives. Part 1. An investigation of the friction-reducing behaviors and an XPS study of the tribochemical characteristics, 47
the tribological behaviors of some rare earth complexes as lubricating additives. Part 2—The antiwear and extreme pressure properties in lithium grease, 151
Attack angle
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192
Austenitic stainless steel
adhering wear mechanism of cemented carbide cutter in the intervallic cutting of stainless steel, 79

Bend test
cohesion in plasma-sprayed coatings—a comparison between evaluation methods, 30
Boron
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
Boundaries
some thoughts on the effect of elastic rebounds on the boundaries of the aqueous erosion–corrosion map, 175
Brighteners
the influence of brighteners on the friction and wear of electro-deposited multilayer films, 74
Burnished film
the tribological behaviors of some rare earth complexes as lubricating additives. Part 1. An investigation of the friction-reducing behaviors and an XPS study of the tribochemical characteristics, 47

CeF_3
effect of silver on the sliding friction and wear behavior of CeF_3 compact at elevated temperatures, 107
Cemented carbide cutter
adhering wear mechanism of cemented carbide cutter in the intervallic cutting of stainless steel, 79
Ceramic fillers
an investigation of the friction and wear behaviors of ceramic particle filled polyphenylene sulfide composites, 54
Chemical mechanical polishing
effect of slurry viscosity modification on oxide and tungsten CMP, 10
Coefficient of friction
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Combined multilayers
the shear impact wear behavior of Ti compound coatings, 91
Compliance behavior
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165
Composite effect
effect of silver on the sliding friction and wear behavior of CeF_3 compact at elevated temperatures, 107
Composites
wear resistant irradiated FEP/unirradiated PTFE composites, 186
Cr3C2–NiCr coating
friction and wear behaviour of plasma-sprayed Cr3C2–NiCr against TiO2 coating under water- and ethanol-lubricated sliding, 202
Cutting temperature distribution
FE analysis of cutting tool temperature field with adhering layer formation, 252

DCPM
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279

Elsevier Science S.A.

3D fractal analysis
three dimensional fractal analysis of sheet metal surfaces, 147
DLC coatings
an investigation into the tribological behaviour of DLC coatings deposited on sintered ferrous alloy substrate, 14

EDS analysis
an investigation of the transfer film characteristics and the tribological behaviors of polyphenylene sulfide composites in sliding against tool steel, 245
EELFS
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279
Elastic rebounds
some thoughts on the effect of elastic rebounds on the boundaries of the aqueous erosion–corrosion map, 175
Electrical connectors
sliding wear and friction of electroplated and clad connector contact materials: effect of surface roughness, 1
Electrodeposited gold
sliding wear and friction of electroplated and clad connector contact materials: effect of surface roughness, 1
Electrodeposition
the influence of brighteners on the friction and wear of electro-deposited multilayer films, 74
Erosion
cohesion in plasma-sprayed coatings—a comparison between evaluation methods, 30
computational mean particle erosion model, 64
Erosion–corrosion map
some thoughts on the effect of elastic rebounds on the boundaries of the aqueous erosion–corrosion map, 175

Fatigue
fretting wear characteristics of Ni/Cu multilayers electrodeposited on beryllium bronze substrate, 23
FEP
wear resistant irradiated FEP/unirradiated PTFE composites, 186
Finite element analysis
FE analysis of cutting tool temperature field with adhering layer formation, 252
Finite element method
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165
Fracture
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Free-cutting stainless steel
FE analysis of cutting tool temperature field with adhering layer formation, 252
Fretting
fretting wear characteristics of Ni/Cu multilayers electrodeposited on beryllium bronze substrate, 23
Fretting wear
laser nitriding of pure titanium with Ni, Cr for improved wear performance, 83
prototype fretting-wear testing machine and some experimental results, 221
Fretting-wear testing machine
prototype fretting-wear testing machine and some experimental results, 221
Friction
computational mean particle erosion model, 64
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
normal load, slip rate and roughness influence on the polymethyl-methacrylate dynamics of sliding 1. Stable sliding to stick–slip transition, 156
a triboscopic investigation of the wear and friction of MoS2 in a reciprocating sliding contact, 212
Friction and wear
the influence of brighteners on the friction and wear of electro-deposited multilayer films, 74
friction and wear behaviour of plasma-sprayed Cr3C2–NiCr against TiO2 coating under water- and ethanol-lubricated sliding, 202

Gold flashed palladium
sliding wear and friction of electroplated and clad connector contact materials: effect of surface roughness, 1

Hardness ratio
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192
Hertzian contact
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165
High temperature lubrication
high temperature lubrication of various ceramics and metal alloys via directed hydrocarbon feed gases, 131
wear behaviour of steel-on-Si3N4 and Si3N4-on-Si3N4 systems with vapor phase lubrication of oleic acid and TCP, 207
High temperature solid lubricant
effect of silver on the sliding friction and wear behavior of CeF_3 compact at elevated temperatures, 107

Impact wear
some factors influencing adiabatic shear banding in impact wear, 259
In-process wear measurement
an investigation of the mechanics of sliding metallic wear under lubricated conditions, 38
Irradiation
wear resistant irradiated FEP/unirradiated PTFE composites, 186

Joint prostheses
tribology of polyethylene homocomposites, 231

Laser alloying
laser nitriding of pure titanium with Ni, Cr for improved wear performance, 83
Laser nitriding
laser nitriding of pure titanium with Ni, Cr for improved wear performance, 83
Low cycle fatigue
an investigation of the mechanics of sliding metallic wear under lubricated conditions, 38
Lubrication
surface fatigue of polymers in rolling contact, 271

Metal
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192
Metal-matrix composites
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
Mild/Severe transition
two-body and three-body abrasion: A critical discussion, 139
Milling
adhering wear mechanism of cemented carbide cutter in the intervallic cutting of stainless steel, 79

Monolayers
the shear impact wear behavior of Ti compound coatings, 91
MoS2
a triboscopic investigation of the wear and friction of MoS2 in a reciprocating sliding contact, 212
Multilayer film
the influence of brighteners on the friction and wear of electro-deposited multilayer films, 74
Multilayer films
fretting wear characteristics of Ni/Cu multilayers electrodeposited on beryllium bronze substrate, 23

Nodularity
sliding wear and friction of electroplated and clad connector contact materials: effect of surface roughness, 1
Number of cycles to failure
an investigation of the mechanics of sliding metallic wear under lubricated conditions, 38
Numerical simulation
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165

Oblique impact
computational mean particle erosion model, 64
Oleic acid
wear behaviour of steel-on-Si3N4 and Si3N4-on-Si3N4 systems with vapor phase lubrication of oleic acid and TCP, 207
Orientation
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98

Pin-on-disc
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Plasma sprayed coatings
cohesion in plasma-sprayed coatings—a comparison between evaluation methods, 30
Plasma spraying
friction and wear behaviour of plasma-sprayed Cr3C2–NiCr against TiO2 coating under water- and ethanol-lubricated sliding, 202
PMMA
normal load, slip rate and roughness influence on the polymethyl-methacrylate dynamics of sliding 1. Stable sliding to stick–slip transition, 156
Polyethylene composites
tribology of polyethylene homocomposites, 231
Polymer
surface fatigue of polymers in rolling contact, 271
Polymers
wear resistant irradiated FEP/unirradiated PTFE composites, 186
PPS composites
an investigation of the friction and wear behaviors of ceramic particle filled polyphenylene sulfide composites, 54
an investigation of the transfer film characteristics and the tribological behaviors of polyphenylene sulfide composites in sliding against tool steel, 245
PTA surfacing
three-body abrasive wear of composite coatings in dry and wet environments, 112
PTFE
wear resistant irradiated FEP/unirradiated PTFE composites, 186
Pure titanium
laser nitriding of pure titanium with Ni, Cr for improved wear performance, 83

PZT actuator
prototype fretting-wear testing machine and some experimental results, 221

Raman piezo-spectroscopy
the effect of wear on the tetragonal-to-monoclinic transformation and the residual stress distribution in zirconia-toughened alumina cutting tools, 264
Rare earth complex
the tribological behaviors of some rare earth complexes as lubricating additives. Part 2—The antiwear and extreme pressure properties in lithium grease, 151
Rare earth coordination compounds
the tribological behaviors of some rare earth complexes as lubricating additives. Part 1. An investigation of the friction-reducing behaviors and an XPS study of the tribochemical characteristics, 47
Ratchetting
an investigation of the mechanics of sliding metallic wear under lubricated conditions, 38
Rolling contact
surface fatigue of polymers in rolling contact, 271
modification of a pin-on-disk wear machine for rolling contact wear, 287
Roughness
normal load, slip rate and roughness influence on the polymethyl-methacrylate dynamics of sliding 1. Stable sliding to stick–slip transition, 156

Scratch test
cohesion in plasma-sprayed coatings—a comparison between evaluation methods, 30
Self-lubricating
wear resistant irradiated FEP/unirradiated PTFE composites, 186
Self-organization
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279
Sheet metal surfaces
three dimensional fractal analysis of sheet metal surfaces, 147
Silicon nitride
wear behaviour of steel-on-Si3N4 and Si3N4-on-Si3N4 systems with vapor phase lubrication of oleic acid and TCP, 207
Silver
effect of silver on the sliding friction and wear behavior of CeF_3 compact at elevated temperatures, 107
SIMS
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279
Sintered ferrous alloy
an investigation into the tribological behaviour of DLC coatings deposited on sintered ferrous alloy substrate, 14
Sintered titanium
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Sliding contact
a triboscopic investigation of the wear and friction of MoS2 in a reciprocating sliding contact, 212
Sliding metallic friction
an investigation of the mechanics of sliding metallic wear under lubricated conditions, 38
Sliding wear
an investigation into the tribological behaviour of DLC coatings deposited on sintered ferrous alloy substrate, 14

laser nitriding of pure titanium with Ni, Cr for improved wear performance, 83
Slip rate
normal load, slip rate and roughness influence on the polymethylmethacrylate dynamics of sliding 1. Stable sliding to stick–slip transition, 156
Slurry wafer
effect of slurry viscosity modification on oxide and tungsten CMP, 10
Solid lubricants
wear resistant irradiated FEP/unirradiated PTFE composites, 186
Solid lubrication
high temperature lubrication of various ceramics and metal alloys via directed hydrocarbon feed gases, 131
Speed
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
Sphere-on-flat type
prototype fretting-wear testing machine and some experimental results, 221
St 14
three dimensional fractal analysis of sheet metal surfaces, 147
Stick–slip transition
normal load, slip rate and roughness influence on the polymethylmethacrylate dynamics of sliding 1. Stable sliding to stick–slip transition, 156
Stress
the effect of wear on the tetragonal-to-monoclinic transformation and the residual stress distribution in zirconia-toughened alumina cutting tools, 264
Surface coatings
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165
Surface failure
surface fatigue of polymers in rolling contact, 271

Tetragonal-to-monoclinic transformation
the effect of wear on the tetragonal-to-monoclinic transformation and the residual stress distribution in zirconia-toughened alumina cutting tools, 264
Thermal degradation
an investigation of the friction and wear behaviors of ceramic particle filled polyphenylene sulfide composites, 54
Three-body abrasion
two-body and three-body abrasion: A critical discussion, 139
TiAlCN
the shear impact wear behavior of Ti compound coatings, 91
TiAlN
the shear impact wear behavior of Ti compound coatings, 91
Ti compounds coatings
the shear impact wear behavior of Ti compound coatings, 91
Tilted sliding contact
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192
TiO2 coating
friction and wear behaviour of plasma-sprayed Cr3C2–NiCr against TiO2 coating under water- and ethanol-lubricated sliding, 202
Titanium carbide
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Titanium graphite composite
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Transfer film
an investigation of the transfer film characteristics and the tribological behaviors of polyphenylene sulfide composites in sliding against tool steel, 245
Transverse isotropy
analysis of contact between transversely isotropic coated surfaces: development of stress and displacement relationships using FEM, 165
Tribochemical interaction
an investigation of the friction and wear behaviors of ceramic particle filled polyphenylene sulfide composites, 54
Tribolayer
three-body abrasive wear of composite coatings in dry and wet environments, 112
Tribological behavior
an investigation of the friction and wear behaviors of ceramic particle filled polyphenylene sulfide composites, 54
an investigation of the transfer film characteristics and the tribological behaviors of polyphenylene sulfide composites in sliding against tool steel, 245
Tribological behaviour
an investigation into the tribological behaviour of DLC coatings deposited on sintered ferrous alloy substrate, 14
Tribology
on characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting. 2. Cutting tool friction control due to the alloying of the HSS-based deformed compound powder material, 279
Tribometer design
modification of a pin-on-disk wear machine for rolling contact wear, 287
Triboscopy
a triboscopic investigation of the wear and friction of MoS2 in a reciprocating sliding contact, 212
Tricresyl phosphate
wear behaviour of steel-on-Si3N4 and Si3N4-on-Si3N4 systems with vapor phase lubrication of oleic acid and TCP, 207
Two-body abrasion
two-body and three-body abrasion: A critical discussion, 139

Vapor phase lubrication
high temperature lubrication of various ceramics and metal alloys via directed hydrocarbon feed gases, 131
wear behaviour of steel-on-Si3N4 and Si3N4-on-Si3N4 systems with vapor phase lubrication of oleic acid and TCP, 207
Viscosity
effect of slurry viscosity modification on oxide and tungsten CMP, 10

Water- and ethanol-lubricated sliding
friction and wear behaviour of plasma-sprayed Cr3C2–NiCr against TiO2 coating under water- and ethanol-lubricated sliding, 202
Wear
computational mean particle erosion model, 64
adhering wear mechanism of cemented carbide cutter in the intervallic cutting of stainless steel, 79
the effect of sliding speed and microstructure on the dry wear properties of metal-matrix composites, 98
tribology of polyethylene homocomposites, 231
Wear classification
two-body and three-body abrasion: A critical discussion, 139
Wear debris
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
Wear map
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192

Wear mechanism
experimental and theoretical analysis of wear mechanism of metals in tilted block on plate type sliding, 192
Wear resistant biomaterials
coefficient of friction under dry and lubricated conditions of a fracture and wear resistant P/M titanium-graphite composite for biomedical applications, 237
White-etching layer
some factors influencing adiabatic shear banding in impact wear, 259
White phase
some factors influencing adiabatic shear banding in impact wear, 259
Zirconia
modification of a pin-on-disk wear machine for rolling contact wear, 287
ZTA cutting tools
the effect of wear on the tetragonal-to-monoclinic transformation and the residual stress distribution in zirconia-toughened alumina cutting tools, 264